Canadian Journal of Forest Research

Revue canadienne de recherche forestière

Contents Volume 27, 1997 Sommaire Volume 27, 1997

January / Janvier

K.K. Kinney and R.L. Lindroth Responses of three deciduous tree species to atmospheric CO ₂ and soil NO ₃ ⁻ availability	1
D.J. Dean Finding optimal routes for networks of harvest site access roads using GIS-based techniques	11
B.K. Takemoto, A. Bytnerowicz, P.J. Dawson, C.L. Morrison, and P.J. Temple Effects of ozone on <i>Pinus ponderosa</i> seedlings: comparison of responses in the first and second growing seasons of exposure	23
M. Méthy, D. Gillon, and C. Houssard Temperature-induced changes of photosystem II activity in Quercus ilex and Pinus halepensis	31
D.W. Ross and H. Solheim Pathogenicity to Douglas-fir of <i>Ophiostoma pseudotsugae</i> and <i>Leptographium abietinum</i> , fungi associated with the Douglas-fir beetle	39
M.R. Norton and S.J. Hannon Songbird response to partial-cut logging in the boreal mixedwood forest of Alberta	44
M. Ursic, R.L. Peterson, and B. Husband Relative abundance of mycorrhizal fungi and frequency of root rot on <i>Pinus strobus</i> seedlings in a southern Ontario nursery	54
F.C. Sorensen and J.E. Webber On the relationship between pollen capture and seed set in conifers	63
C. Krause The use of dendrochronological material from buildings to get information about past spruce budworm outbreaks	69
R.R. Martin, J.P. Zanin, M.J. Bensette, M. Lee, and E. Furimsky in southwestern Ontario by secondary ion mass spectroscopy (SIMS)	7
H. Lei, B.L. Gartner, and M.R. Milota Effect of growth rate on the anatomy, specific gravity, and bending properties of wood from 7-year-old red alder (<i>Almus rubra</i>)	8
J.J. Zaczek and K.C. Steiner Grafting-mediated meristem selection influences rooting success of Quercus rubra	8
R.D. Browne, C.G. Davidson, T.A. Steeves, and D.I. Dunstan Effects of ortet age on adventitious rooting of jack pine (Pinus banksiana) long-shoot cuttings	9
R.D. Browne, C.G. Davidson, T.A. Steeves, and D.I. Dunstan Rooting of proliferated dwarf shoot cuttings of jack pine (Pinus banksiana)	9
V.C. Baldwin, Jr., and K.D. Peterson Predicting the crown shape of loblolly pine trees	10
J. Tardif and Y. Bergeron Comparative dendroclimatological analysis of two black ash and two white cedar populations from contrasting sites in the Lake Duparquet region, northwestern Quebec	10
M.T. Ter-Mikaelian, R.G. Wagner, C. Shropshire, F.W. Bell, and C.J. Swanton Using a mechanistic model to evaluate sampling designs for light transmission through forest plant canopies	11
NOTES	
M.T. Ter-Mikaelian and R.G. Wagner Distance-independent models for predicting photosynthetically active radiation transmission through young forest plant canopies	12
W.T. Adams, V.D. Hipkins, J. Burczyk, and W.K. Randall Pollen contamination trends in a maturing Douglas-fir seed orchard	13
M.P. Koshy and D.T. Lester Wood shrinkage and tree growth in coastal Douglas-fir: implications of selection	13
Announcement	i
Communiqué	i
Instructions to authors	I-
Recommandations aux auteurs	R-

E.I J.H G. H.

February / Février

C. Galipeau, D.D. Kneeshaw, and Y. Bergeron White spruce and balsam fir colonization of a site in the southeastern boreal forest as observed 68 years after fire	139
X. Wei, J.P. Kimmins, K. Peel, and O. Steen Mass and nutrients in woody debris in harvested and wildfire-killed lodgepole pine forests in the central interior of British Columbia	148
J.S. Ward and G.R. Stephens Survival and growth of yellow birch (Betula alleghaniensis) in southern New England	156
J.M.C. Pereira, M. Tomé, J.M.B. Carreiras, J.A. Tomé, J.S. Pereira, J.S. David, and A.M.D. Fabião Leaf area estimation from tree allometrics in <i>Eucalyptus globulus</i> plantations	166
JM. Bouvet Effect of spacing on juvenile growth and variability of Eucalyptus clones	174
N.A. Hipps, K.H. Higgs, and L.G. Collard Effects of root wrenching and irrigation rate on the growth and water relations of <i>Castanea sativa</i> and <i>Quercus robur</i> seedlings in the nursery and after outplanting	180
P. Li, J. Beaulieu, and J. Bousquet Genetic structure and patterns of genetic variation among populations in eastern white spruce (Picea glauca)	189
P. Li, J. Beaulieu, G. Daoust, and A. Plourde Patterns of adaptive genetic variation in eastern white pine (Pinus strobus) from Quebec	199
M.W. Ritchie and D.W. Hann Evaluation of individual-tree and disaggregative prediction methods for Douglas-fir stands in western Oregon	207
S.A. Knowe, W.I. Stein, and L.J. Shainsky Predicting growth response of shrubs to clear-cutting and site preparation in coastal Oregon forests	217
R.K. Kobe and K.D. Coates Models of sapling mortality as a function of growth to characterize interspecific variation in shade tolerance of eight tree species of northwestern British Columbia	227
M.B. Walters and P.B. Reich Growth of Acer saccharum seedlings in deeply shaded understories of northern Wisconsin: effects of nitrogen and water availability	237
J. Suomela and S. Neuvonen Effects of long-term simulated acid rain on suitability of the mountain birch for Epirrita autumnata (Geometridae)	248
N. Carisey and E. Bauce Impact of balsam fir foliage age on sixth-instar spruce budworm growth, development, and food utilization	257
NOTE	
H. Hasenauer, H.E. Burkhart, and R.L. Amateis Basal area development in thinned and unthinned loblolly pine plantations	265
DISCUSSION	
K.J. Stadt, S.M. Landhäusser, and J.D. Stewart Comment—The effects of direct-beam light on overcast-day estimates of light availability	272
C. Messier and S. Parent Reply—The effects of direct-beam light on overcast-day estimates of light availability: On the accuracy of the instantaneous one-point overcast-sky conditions method to estimate mean daily %PPFD under heterogeneous overstory canopy	
conditions	274

March / Mars

Southern Regional Information Exchange Group Meeting / Réunion du groupe régional d'échange d'informations du Sud

Genetic Diversity in Commercial Forest Tree Plantations Diversité génétique dans les plantations d'arbres forestiers commerciales

Clemson, S.C., U.S.A., 18 to 20 July 1994 / Clemson, S.C., É.-U., 18 au 20 juillet 1994

B. McCutchan, G. Askew, and T. Blush Foreword / Avant-propos	395
W.J. Libby, F. Bridgwater, C. Lantz, and T. White Genetic diversity in commercial forest tree plantations: introductory comments to the 1994 SRIEG meeting papers	397
S.T. Friedman and G.S. Foster Forest genetics on federal lands in the United States: public concerns and policy responses	401
C.C. Lambeth and R.B. McCullough Genetic diversity in managed loblolly pine forests in the southeastern United States: perspective of the private industrial forest land owner	409

Contents / Sommaire	C-3
E.E. Berg and J.L. Hamrick Quantification of genetic diversity at allozyme loci	415
J.H. Roberds and J.W. Bishir Risk analyses in clonal forestry	425
G. Namkoong A gene conservation plan for loblolly pine	433
H.E. Stelzer Evaluating genetic diversity concerns in clonal deployments	438
H.E. Stelzer and B. Goldfarb Implementing clonal forestry in the southeastern United States: SRIEG satellite workshop summar remarks	y 442
REGULAR PAPERS / ARTICLES ORDINAIRES	
E. Piutti and A. Cescatti A quantitative analysis of the interactions between climatic response and intraspecific competition in Europea beech	n 277
G.E. Scarascia-Mugnozza, R. Ceulemans, P.E. Heilman, J.G. Isebrands, R.F. Stettler, and T.M. Hinckley Production physiology and morphology of <i>Populus</i> species and their hybrids grown under short rotation. II. Biomass components and harvest indeed flybrid and parental species clones	ex 285
S. Boivin and Y. Bégin Development of a black spruce (<i>Picea mariana</i>) shoreline stand in relation to snow level variations at Lal Bienville in northern Quebec	ce 295
L. Finér, C. Messier, and L. De Grandpré Fine-root dynamics in mixed boreal conifer – broad-leafed forest stands at differe successional stages after fire	nt 304
O. Zackrisson, G. Norberg, A. Dolling, MC. Nilsson, and A. Jäderlund Site preparation by steam treatment: effects on fore vegetation control and establishment, nutrition, and growth of seeded Scots pine	st 315
R.B. Allen, P.W. Clinton, and M.R. Davis Cation storage and availability along a Nothofagus forest development sequence in Ne Zealand	323
S.W. Simard, R. Molina, J.E. Smith, D.A. Perry, and M.D. Jones Shared compatibility of ectomycorrhizae on <i>Pseudotsug menziesii</i> and <i>Betula papyrifera</i> seedlings grown in mixture in soils from southern British Columbia	331
F. Feuillat, JL. Dupouey, D. Sciama, and R. Keller A new attempt at discrimination between <i>Quercus petraea</i> and <i>Quercus rob</i> based on wood anatomy	ur 343
K.E. Lowell An empirical evaluation of spatially based forest inventory samples	352
G.A. Bartholomay, R.T. Eckert, and K.T. Smith Reductions in tree-ring widths of white pine following ozone exposure at Acade National Park, Maine, U.S.A.	361
V.J. Monleon, K. Cromack, Jr., and J.D. Landsberg Shor' and long-term effects of prescribed underburning on nitrogen availabilisin ponderosa pine stands in central Oregon	369
P.C. Van Deusen Annual forest inventory statistical concepts with emphasis on multiple imputation	379
M.E. Dubrasich, D.W. Hann, and J.C. Tappeiner II Methods for evaluating crown area profiles of forest stands	385
April / Avril	
H. Taira, Y. Tsumura, N. Tomaru, and K. Ohba Regeneration system and genetic diversity of Cryptomeria japonica growing different altitudes	at 447
M.S. Günthardt-Goerg, C.J. McQuattie, C. Scheidegger, C. Rhiner, and R. Matyssek Ozone-induced cyctochemical a ultrastructural changes in leaf mesophyll cell walls	nd 453
KH. Han, M.P. Gordon, and S.H. Strauss High-frequency transformation of cottonwoods (genus <i>Populus</i>) by <i>Agrobacteria rhizogenes</i>	ım 464
A.M. Hietala The mode of infection of pathogenic uninucleate Rhizoctonia sp. in conifer seedling roots	471
M.G. Cruickshank, D.J. Morrison, and Z.K. Punja Incidence of Armillaria species in precommercial thinning stumps and spread Armillaria ostoyae to adjacent Douglas-fir trees	of 481
S. Magnussen Calibrating photo-interpreted forest cover types and relative species compositions to their ground expectations	491
S.M. Hope and CY. Li Respiration, nitrogen fixation, and mineralizable nitrogen spatial and temporal patterns within two Oreg Douglas-fir stands	on 501
D. Cantin, M.F. Tremblay, M.J. Lechowicz, and C. Potvin Effects of CO ₂ enrichment, elevated temperature, and nitrog availability on the growth and gas exchange of different families of jack pine seedlings	en 510
CH. Ung, F. Raulier, D. Ouellet et JF. Dhôte L'indice de compétition interindividuelle de Schütz	521

)7

Cor

J.N re R.G p H.:

M.

J.V.H. Constable and G.E. Taylor, Jr. Modeling the effects of elevated tropospheric O ₃ on two varieties of <i>Pinus ponderosa</i>	527
K. Klimaszewska, Y. Devantier, D. Lachance, M.A. Lelu, and P.J. Charest Larix laricina (tamarack): somatic embryogenesis and genetic transformation	538
H. Bugmann An efficient method for estimating the steady-state species composition of forest gap models	551
F.C. Sorensen Effects of sib mating and wind pollination on nursery seedling size, growth components, and phenology of Douglas-fir seed-orchard progenies	557
A. Ostrofsky, J. Jellison, K.T. Smith, and W.C. Shortle Changes in cation concentrations in red spruce wood decayed by brown rot and white rot fungi	567
B. Persson and E. Beuker Distinguishing between the effects of changes in temperature and light climate using provenance trials with <i>Pinus sylvestris</i> in Sweden	572
R. Villalba and T.T. Veblen Spatial and temporal variation in Austrocedrus growth along the forest-steppe ecotone in northern Patagonia	580
C.E. Prescott and L.M. Zabek Growth response and nutrient availability in western redcedar plantations following amendment with fish-wood compost and straw	598
P.V. Blenis and I. Duncan Management implications of western gall rust in precommercially thinnned lodgepole pine stands	603
NOTES	
P. Niemelä, I. Lumme, W. Mattson, and V. Arkhipov ¹³ C in tree rings along an air pollution gradient in the Karelian Isthmus, northwest Russia and southeast Finland	609
R.D. D'Arrigo, D.K. Yamaguchi, G.C. Wiles, G.C. Jacoby, A. Osawa, and D.M. Lawrence A kashiwa oak (<i>Quercus dentata</i>) tree-ring width chronology from northern coastal Hokkaido, Japan	613
ERRATUM	
M.J. Krasowski, C.D.B. Hawkins, H. Coates, and P.K. Ott Erratum: Static tests of lodgepole pine stability in the central interior of British Columbia	618
May / Mai	
A. Kozak Effects of multicollinearity and autocorrelation on the variable-exponent taper functions	619
S. Magnussen and D. Burgess Stochastic resampling techniques for quantifying error propagations in forest field experiments	630
J.C. Tappeiner, D. Huffman, D. Marshall, T.A. Spies, and J.D. Bailey Density, ages, and growth rates in old-growth and young-growth forests in coastal Oregon	638
P.M. Trelawny Service lives and physical depreciation of capital assets in the Canadian wood industry	649
J.E. Compton, D.W. Cole, and P.S. Homann Leaf element concentrations and soil properties in first- and second-rotation stands of red alder (Almus rubra)	662
W.M. Coli, C.S. Hollingsworth, and T.A. Hosmer Seasonal and vertical variation in activity of pear thrips (Thysanoptera: Thripidae) within stands of sugar maple	667
N. Dumont-BéBoux and P. von Aderkas In vitro pollen tube growth in Douglas-fir	674
G.G. Wang Soil nutrient regime classification for white spruce stands in the Sub-boreal Spruce Zone of British Columbia	679
D. Lesueur and H.G. Diem The requirement of iron for nodulation and growth of Acacia mangium	686
S.A. Watmough and T.C. Hutchinson Metal resistance in red maple (Acer rubrum) callus cultures from mine and smelter sites in Canada	693
S. Kant and J.C. Nautiyal Production structure, factor substitution, technical change, and total factor productivity in the Canadian logging industry	701
G. Swedjemark and J. Stenlid Between-tree and between-isolate variation for growth of S-group <i>Heterobasidion annosum</i> in sapwood of <i>Picea abies</i> cuttings	711
P. Hurme, T. Repo, O. Savolainen, and T. Pääkkönen Climatic adaptation of bud set and frost hardiness in Scots pine (Pinus sylvestris)	716
E.R. Ingham and W.G. Thies Changes in rhizosphere microflora and microfauna 10 years following Douglas-fir live tree injection with chloropicrin or methylisothiocyanate	724

Contents / Sommaire	C-5
J.N. King, A.D. Yanchuk, G.K. Kiss, and R.I. Alfaro Genetic and phenotypic relationships between weevil (<i>Pissodes strobi</i>) resistance and height growth in spruce populations of British Columbia	732
R.G. Raja, C.G. Tauer, R.F. Wittwer, and Y. Huang Isoenzyme variation and genetic structure in natural populations of shortleaf pine (<i>Pinus echinata</i>)	740
H.S. Dungey, B.M. Potts, A.J. Carnegie, and P.K. Ades Mycosphaerella leaf disease: genetic variation in damage to Eucalyptus nitens, Eucalyptus globulus, and their F ₁ hybrid	750
D. Gillon, C. Hernando, JC. Valette, and R. Joffre Fast estimation of the calorific values of forest fuels by near-infrared reflectance spectroscopy	760
M. Garbelotto, G. Slaughter, T. Popenuck, F.W. Cobb, and T.D. Bruns Secondary spread of Heterobasidion annosum in white fir root-disease centers	766
M.L. Cadenasso, M.M. Traynor, and S.T.A. Pickett Functional location of forest edges: gradients of multiple physical factors	774
W.A. Retzlaff, D.A. Weinstein, J.A. Laurence, and B. Gollands Simulating the growth of a 160-year-old sugar maple (Acer saccharum) tree with and without ozone exposure using the TREGRO model	783
I. Duchesne, L. Wilhelmsson, and K. Spångberg Effects of in-forest sorting of Norway spruce (<i>Picea abies</i>) and Scots pine (<i>Pinus sylvestris</i>) on wood and fibre properties	790
ERRATUM	
M.W. Ritchie and D.W. Hann Erratum: Evaluation of individual-tree and disaggregative prediction methods for Douglas-fir stands in western Oregon	796
June / Juin	
T.A. Martin, K.J. Brown, J. Cermák, R. Ceulemans, J. Kucera, F.C. Meinzer, J.S Rombold, D.G. Sprugel, and T.M. Hinckley Crown conductance and tree and stand transpiration in a second-growth <i>Abies amabilis</i> forest	797
P. Balandier A method to evaluate needs and efficiency of formative pruning of fast-growing broad-leaved trees and results of an annual pruning	809
H.T. Valentine, T.G. Gregoire, H.E. Burkhart, and D.Y. Hollinger A stand-level model of carbon allocation and growth, calibrated for loblolly pine	817
D.A. Coomes Nutrient status of Amazonian caatinga forests in a seasonally dry area: nutrient fluxes in litter fall and analyses of soils	831
JC. Pierrat, JC. Hervé, and JL. Peyron Modélisation de la structure d'un peuplement et simulation de sylvicultures locales et sélectives	840
P. Tarp, G.L. Paredes V, and F. Helles A dual approach to policy analysis in multiple-use forest management planning	849
C.E. Johnson, R.B. Romanowicz, and T.G. Siccama Conservation of exchangeable cations after clear-cutting of a northern hardwood forest	859
D.R. Larsen, M.A. Metzger, and P.S. Johnson Oak regeneration and overstory density in the Missouri Ozarks	869
M. Darveau, J. Martel, JL. DesGranges, and Y. Mauffette Associations between forest decline and bird and insect communities in northern hardwoods	876
G. Newcombe and C. van Oosten Variation in resistance to Venturia populina, the cause of popular leaf and shoot blight in the Pacific Northwest	883
S. Rouvinen and T. Kuuluvainen Structure and asymmetry of tree crowns in relation to local competition in a natural mature Scots pine forest	890
T.M. Barrett Voronoi tessellation methods to delineate harvest units for spatial forest planning	903
P.G.S. Chambers and N.M.G. Borralho Importance of survival in short-rotation tree breeding programs	911
V.C. Baldwin, Jr., K.D. Peterson, H.E. Burkhart, R.L. Amateis, and P.M. Dougherty Equations for estimating loblolly pine branch and foliage weight and surface area distributions	918
H.M. Häggman, T.S. Aronen, and T.O. Nikkanen Gene transfer by particle bombardment to Norway spruce and Scots pine pollen	928
A.H. Lloyd Response of tree-line populations of foxtail pine (Pinus balfouriana) to climate variation over the last 1000 years	936

Cor

G.A

Au

J.G

V. I

D.N

C. (

re

R.C

in

D.C

F.E

19

J. S

R.E

M.

fa

F. 1

A. 1

P. (

dı

I.A.

pi

S. I

G.

D.F

ac

E. 1

NO.

L.L

C.A

E.C

Se

C.

H. :

A. l

M.

ha

NOTES

H. Kang, R.B. Hall, S.A. Heuchelin, H.S. McNabb, Jr., C.W. Mize, and E.R. Hart Transgenic Populus: in vitro screening for resistance to cottonwood leaf beetle (Coleoptera: Chrysomelidae) 943 A. Wegener, W. Gimbel, T. Werner, J. Hani, D. Ernst, and H. Sandermann, Jr. Sequence ozone-induced analysis and accumulation of polyubiquitin mRNA in Pinus sylvestris 945 K. Minkkinen, J. Laine, H. Nykänen, and P.J. Martikainen Importance of drainage ditches in emissions of methane from mires 949 drained for forestry S. Proulx and J. Stein Classification of meteorological conditions to assess the potential for concrete frost formation in boreal forest 953 S.A. Merkle, R.L. Bailey, B.A. Pauley, K.A. Neu, M.K. Kim, C.L. Rugh, and P.M. Montello Somatic embryogenesis from tissues 959 of mature sweetgum trees K.V. Krutovskii, S.S. Vollmer, F.C. Sorensen, W.T. Adams, and S.H. Strauss Effects of megagametophyte removal on DNA yield and early seedling growth in coastal Douglas-fir 964 July / Juillet D.J. Dean Improving the accuracy of forest viewsheds using triangulated networks and the visual permeability method 969 D.S. DeBell and C.A. Harrington Productivity of Populus in monoclonal and polyclonal blocks at three spacings 978 S.P. DiFazio, N.C. Vance, and M.V. Wilson Strobilus production and growth of Pacific yew under a range of overstory conditions in western Oregon 986 M.D. Abrams, D.A. Orwig, and M.J. Dockry Dendroecology and successional status of two contrasting old-growth oak forests in the 994 Blue Ridge Mountains, U.S.A. J.M. Szeicz Growth trends and climatic sensitivity of trees in the North Patagonian rain forest of Chile 1003 G. Hörnberg, M. Ohlson, and O. Zackrisson Influence of bryophytes and microrelief conditions on Picea abies seed regeneration patterns in boreal old-growth swamp forests 1015 M.J. Dieters, D.G. Nikles, P.G. Toon, and P. Pomroy Genetic parameters for F₁ hybrids of Pinus caribaea var. hondurensis with both Pinus oocarpa and Pinus tecunumanii 1024 S. Zhang, T.C. Hennessey, and R.A. Heinemann Acclimation of loblolly pine (Pinus taeda) foliage to light intensity as related to leaf nitrogen availability 1032 S.A. Heuchelin, H.S. McNabb, Jr., and N.B. Klopfenstein Agrobacterium-mediated transformation of Populus × euramericana "Ogy" using the chimeric CaMV 35S-pin2 gene fusion 1041 A. Stokes, B.C. Nicoll, M.P. Coutts, and A.H. Fitter Responses of young Sitka spruce clones to mechanical perturbation and nutrition: effects on biomass allocation, root development, and resistance to bending 1049 K.S. Fassnacht and S.T. Gower Interrelationships among the edaphic and stand characteristics, leaf area index, and aboveground net primary production of upland forest ecosystems in north central Wisconsin 1058 H.H. Eidmann and A. Lindelöw Estimates and measurements of pine weevil feeding on conifer seedlings: their relationships and 1068 M. Petruncio, D. Briggs, and R.J. Barbour Predicting pruned branch stub occlusion in young, coastal Douglas-fir 1074 D. Boychuk and A.H. Perera Modeling temporal variability of boreal landscape age-classes under different fire disturbance regimes and spatial scales 1083 J.L. Frangi, L.L. Richter, M.D. Barrera, and M. Aloggia Decomposition of Nothofagus fallen woody debris in forests of Tierra del Fuego, Argentina 1095 J.P. Cornelius and J.F. Mesén Provenance and family variation in growth rate, stem straightness, and foliar mineral concentration in Vochysia guatemalensis 1103 N. van Breemen, A.C. Finzi, and C.D. Canham Canopy tree - soil interactions within temperate forests: effects of soil elemental composition and texture on species distributions 1110 D.M. Hix and J.N. Pearcy Forest ecosystems of the Marietta Unit, Wayne National Forest, southeastern Ohio: multifactor classification and analysis 1117 L.D. Daniels, J. Dobry, K. Klinka, and M.C. Feller Determining year of death of logs and snags of Thuja plicata in southwestern coastal British Columbia 1132

Contents / Sommaire	C-7
G.A. Ritchie, J.W. Keeley, and P.A. Ward Effects of shade and root confinement on the expression of plagiotropic growth in juvenile-origin Douglas-fir rooted cuttings	1142
August / Août	
J.G. Bockheim Soils in a hemlock-hardwood ecosystem mosaic in the Southern Lake Superior Uplands	1147
V. Nealis, P.V. Lomic, and J.H. Meating Forecasting defoliation by the jack pine budworm	1154
D.M. Whitaker and W.A. Montevecchi Breeding bird assemblages associated with riparian, interior forest, and nonriparian edge habitats in a balsam fir ecosystem	1159
C. Coursolle, F.J. Bigras, H.A. Margolis, and C. Hébert Dehardening and second-year growth of white spruce provenances in response to duration of long-night treatments	1168
R.C. Fillhart, G.D. Bachand, and J.D. Castello Airborne transmission of tomato mosaic Tobamovirus and its occurrence in red spruce in the northeastern United States	1176
D.C. Bragg, G.D. Mroz, D.D. Reed, S.G. Shetron, and D.D. Stokke Relationship between "birdseye" sugar maple (Acer saccharum) occurrence and its environment	1182
	1192
L. Östlund, O. Zackrisson, and AL. Axelsson The history and transformation of a Scandinavian boreal forest landscape since the	1174
•	1198
	1207
	1217
	1222
The state of the s	1233
K.J.S. Jayawickrama, S.E. McKeand, J.B. Jett, and E.A. Wheeler Date of earlywood-latewood transition in provenances and families of loblolly pine, and its relationship to growth phenology and juvenile wood specific gravity	1245
F. von Sydow and G. Birgersson Conifer stump condition and pine weevil (Hylobius abietis) reproduction	1254
A. DesRochers and R. Gagnon Is ring count at ground level a good estimation of black spruce age?	1263
P. Calvet, B. Lemoine et JL. Peyron Taux d'actualisation et conduite sylvicole des peuplements forestiers : un exemple dans le cas du pin maritime en France	1268
I.A. Munn and R.B. Palmquist Estimating hedonic price equations for a timber stumpage market using stochastic frontier estimation procedures	1276
S. Roth, E.P. McDonald, and R.L. Lindroth Atmospheric CO2 and soil water availability: consequences for tree-insect interactions	1281
G. Tasissa and H.E. Burkhart Modeling thinning effects on ring width distribution in loblolly pine (Pinus taeda)	1291
D.R. Carter, M. Vogiatzis, C.B. Moss, and L.G. Arvanitis Ecosystem management or infeasible guidelines? Implications of adjacency restrictions for wildlife habitat and timber production	1302
E. Falleri and R. Pacella Applying the IDS method to remove empty seeds in <i>Platanus</i> ×acerifolia	1311
NOTES	
L.L. DeVerno and A. Mosseler Genetic variation in red pine (Pinus resinosa) revealed by RAPD and RAPD-RFLP analysis	1316
C.A. Harrington, M.A. Radwan, and D.S. DeBell Leaf characteristics reflect growth rates of 2-year-old <i>Populus</i> trees	1321
E.G. Brockerhoff and R.H. Ho Effects of gibberellin $A_{4/7}$ stem injection on seed cone production in mature black spruce	1325
September / Septembre	
C. Wang, M.H. Perlin, R.R. Van Stockum, Jr., C.H. Hamilton, and D.B. Wagner Chloroplast DNA polymorphisms in Tsuga canadensis and Tsuga caroliniana	1329
H. Solheim and L. Safranyik Pathogenicity to Sitka spruce of Ceratocystis rufipenni and Leptographium abietinum, blue-stain fungi associated with the spruce beetle	1336
A. Meilleur, J. Brisson, and A. Bouchard Ecological analyses of the northernmost population of pitch pine (Pinus rigida)	1342
M. Murakami and N. Wada Difference in leaf quality between canopy trees and seedlings affects migration and survival of spring-feeding moth larvae	1351

spring-feeding moth larvae

K. Leinonen Changes in dormancy and vigor of Picea abies seeds during overwintering and dry storage	1357
J. Baynes and G.M. Dunn Estimating foliage surface area index in 8-year-old stands of <i>Pinus elliottii</i> var. <i>elliottii</i> × <i>Pinus caribaea</i> var. hondurensis of variable quality	1367
A. Ryyppö, S. Sutinen, M. Mäenpää, E. Vapaavuori, and T. Repo Frost damage and recovery of Scots pine seedlings at the end of the growing season	1376
H.Y.H. Chen Interspecific responses of planted seedlings to light availability in interior British Columbia: survival, growth, allometric patterns, and specific leaf area	1383
D. Czokajlo, R.A. Wink, J.C. Warren, and S.A. Teale Growth reduction of Scots pine, <i>Pinus sylvestris</i> , caused by the larger pine shoot beetle, <i>Tomicus piniperda</i> (Coleoptera, Scolytidae), in New York State	1394
RC. Yang, N.K. Dhir, F.C. Yeh, and Y. Hiratsuka Geographic variation in susceptibility of Alberta lodgepole pine to western gall rust	1398
S.S. Sung, C.C. Black, T.L. Kormanik, S.J. Zarnoch, P.P. Kormanik, and P.A. Counce Fall nitrogen fertilization and the biology of <i>Pinus taeda</i> seedling development	1406
L. Ibrahim, M.F. Proe, and A.D. Cameron Main effects of nitrogen supply and drought stress upon whole-plant carbon allocation in poplar	1413
S. Zhang, H.L. Allen, and P.M. Dougherty Shoot and foliage growth phenology of loblolly pine trees as affected by nitrogen fertilization	1420
G.W. Powell, B.M. Wikeem, A. Sturko, and J. Boateng Knapweed growth and effect on conifers in a montane forest	1427
R. van den Driessche Growth and wood quality of Sitka spruce clones and seedlings and levels of spruce weevil attack	1434
H. Morin and D. Laprise Seedling bank dynamics in boreal balsam fir forests	1442
H.B. DeLong, V.J. Lieffers, and P.V. Blenis Microsite effects on first-year establishment and overwinter survival of white spruce in aspen-dominated boreal mixedwoods	1452
B.J. Palik, R.J. Mitchell, G. Houseal, and N. Pederson Effects of canopy structure on resource availability and seedling responses in a longleaf pine ecosystem	1458
H. Li, Z. Wen, M. Huang, and M. Wang A genetic study on characteristics of crown light interception in Populus deltoides	1465
W.H. Frandsen Ignition probability of organic soils	1471
G.F. Weetman, C.E. Prescott, F.L. Kohlberger, and R.M. Fournier Ten-year growth response of coastal Douglas-fir on Vancouver Island to N and S fertilization in an optimum nutrition trial	1478
A.F. Howard and H. Temesgen Potential financial returns from alternative silvicultural prescriptions in second-growth stands of coastal British Columbia	1483
C.W. Swanston and D.D. Myrold Incorporation of nitrogen from decomposing red alder leaves into plants and soil of a recent clearcut in Oregon	1496
NOTES	
G.S. Amacher and R.J. Brazee Forest quality, government revenue constraints, and the second-best efficiency of regressive forest taxes	1503
J.P. Gerlach, P.B. Reich, K. Puettmann, and T. Baker Species, diversity, and density affect tree seedling mortality from Armillaria root rot	1509
I.A. Nalder, R.W. Wein, M.E. Alexander, and W.J. de Groot Physical properties of dead and downed round-wood fuels in boreal forests of Alberta and Northwest Territories	1513
October / Octobre	
Malin Bendz-Hellgren and Jan Stenlid Decreased volume growth of Picea abies in response to Heterobasidion annosum infection	1519
Bailian Li and Rongling Wu Heterosis and genotype × environment interactions of juvenile aspens in two contrasting sites	1525
Chun Liang, Louise Filion, and Luc Cournoyer Wood structure of biotically and climatically induced light rings in eastern larch (Larix laricina)	1538
Ricardo Alía, Javier Moro, and Jean Baptiste Denis Performance of <i>Pinus pinaster</i> provenances in Spain: interpretation of the genotype by environment interaction	1548
Robert P. Long, Stephen B. Horsley, and Paul R. Lilja Impact of forest liming on growth and crown vigor of sugar maple and associated hardwoods	1560

Star

Cor

Joan tun

H. C

A.N of

Gar N.E Kat

Dan NOT

K. I

Dea Ann

No

Min gra Jose ser

Kim Dan Ove

Wal typ Jari jac

S.N.

Dav Do

Rob co: Dan

Contents / Sommaire	C-9
Stacy M. Jorgensen and J. L. Hamrick Biogeography and population genetics of whitebark pine, Pinus albicaulis	1574
Timo Tokola, Ari Turkia, Janne Sarkeala, and Janne Soimasuo An entity-relationship model for forest inventory	1586
Joanne Rebbeck and Ken V. Loats Ozone effects on seedling sugar maple (Acer saccharum) and yellow-poplar (Liriodendron tulipifera): gas exchange	1595
L.B. Nadeau and D.J. Pluth Spatial distribution of lodgepole pine and white spruce seedling roots 10 years after deep tillage of a Gray Luvisol	1606
H. Chaar, F. Colin, and G. Leborgne Artificial defoliation, decapitation of the terminal bud, and removal of the apical tip of the shoot in sessile oak seedlings and consequences on subsequent growth	1614
Paul G. Schaberg, Timothy D. Perkins, and Steven G. McNulty Effects of chronic low-level N additions on foliar elemental concentrations, morphology, and gas exchange of mature montane red spruce	1622
A.M. Wiensczyk, M.T. Dumas, and R.N. Irwin Predicting <i>Armillaria ostoyae</i> infection levels in black spruce plantations as a function of environmental factors	1630
Stephen V. Stehman and Craig J. Davis A practical sampling strategy for estimating residual stand damage	1635
Gary W. Miller Stand dynamics in 60-year-old Allegheny hardwoods after thinning	1645
N.E. Grulke and E.H. Lee Assessing visible ozone-induced foliar injury in ponderosa pine	1658
Katherine J. Lewis Growth reduction in spruce infected by Inonotus tomentosus in central British Columbia	1669
Emin Z. Başkent Assessment of structural dynamics in forest landscape management	1675
Daniel Mandallaz and R. Ye Prediction of forest fires with Poisson models	1685
NOTE	
K. Dave Coates Windthrow damage 2 years after partial cutting at the Date Creek silvicultural systems study in the Interior Cedar–Hemlock forests of northwestern British Columbia	1695
ERRATA	
Dean S. DeBell and Constance A. Harrington Erratum: Productivity of Populus in monoclonal and polyclonal blocks at three spacings	1702
Annie DesRochers and Réjean Gagnon Erratum: Is ring count at ground level a good estimation of black spruce age?	1703
November / Novembre	
Minyi Zhou and Terry L. Sharik Ectomycorrhizal associations of northern red oak (Quercus rubra) seedlings along an environmental gradient	1705
Joseph D. White, Steven W. Running, Ramakrishna Nemani, Robert E. Keane, and Kevin C. Ryan Measurement and remote sensing of LAI in Rocky Mountain montane ecosystems	1714
Kim Dralle and Mats Rudemo Automatic estimation of individual tree positions from aerial photos	1728
Daniel L. Luoma and Walter G. Thies Stumps furnigated with chloropicrin: effects on surrounding plants	1737
Ove Nystrand and Anders Granström Forest floor moisture controls predator activity on juvenile seedlings of <i>Pinus sylvestris</i>	1746
Walter H. Burch, Robert H. Jones, Pu Mou, and Robert J. Mitchell Root system development of single and mixed plant functional type communities following harvest in a pine-hardwood forest	
Jari Kouki, Deborah G. McCullough, and Larry D. Marshall Effect of forest stand and edge characteristics on the vulnerability of jack pine stands to jack pine budworm (Choristoneura pinus pinus) damage	1765
S.N. Aitken and W.T. Adams Spring cold hardiness under strong genetic control in Oregon populations of <i>Pseudotsuga menziesii</i> var. menziesii	1773
K.J.S. Jayawickrama, S.E. McKeand, and J.B. Jett Rootstock effects on scion growth and reproduction in 8-year-old grafted loblolly pine	1781
David W. Huffman and John C. Tappeiner II Clonal expansion and seedling recruitment of Oregon grape (Berberis nervosa) in Douglas-fir (Pseudotsuga menziesii) forests: comparisons with salal (Gaultheria shallon)	1788
Robert H. Johnson, Brenda L. Young, and Donald N. Alstad Responses of ponderosa pine growth and volatile terpene concentrations to manipulation of soil water and sunlight availability	1794
Daniel T. Carraway and Scott A. Merkle Plantlet regeneration from somatic embryos of American chestnut	1805

7 4

Co

An

G.
to
Pe

Je F

Ru Bu i i Jee No Tro

N A C

Daniel Houle, Raynald Paquin, Claude Camiré, Rock Ouimet, and Louis Duchesne Response of the Lake Clair Watershe (Duchesnay, Quebec) to changes in precipitation chemistry (1988–1994)	ed 1813
Eric L. Kruger and Peter B. Reich Responses of hardwood regeneration to fire in mesic forest openings. I. Post-fire community dynamics	1822
Eric L. Kruger and Peter B. Reich Responses of hardwood regeneration to fire in mesic forest openings. II. Leaf gas exchang nitrogen concentration, and water status	e, 1832
Eric L. Kruger and Peter B. Reich Responses of hardwood regeneration to fire in mesic forest openings. III. Whole-plant growt biomass distribution, and nitrogen and carbohydrate relations	h, 1841
Marie-Josée Fortin Effects of data types on vegetation boundary delineation	1851
David A. MacLean and Wayne E. MacKinnon Effects of stand and site characteristics on susceptibility and vulnerability of balsa fir and spruce to spruce budworm in New Brunswick	m 1859
Melanie D. Jones, D.M. Durall, S.M.K. Harniman, Debbie C. Classen, and Suzanne W. Simard Ectomycorrhizal diversity of Betula papyrifera and Pseudotsuga menziesii seedlings grown in the greenhouse or outplanted in single-species and mixed plots southern British Columbia	
NOTES	
S. Pongracic, M.U.F. Kirschbaum, and R.J. Raison Comparison of soda lime and infrared gas analysis techniques for in si measurement of forest soil respiration	tu 1890
Mark D. Atkinson, Andrew P. Jervis, and Rughbir S. Sangha Discrimination between Betula pendula, Betula pubescens, and the hybrids using near-infrared reflectance spectroscopy	eir 1896
Michael D. Cain and Michael G. Shelton Loblolly and shortleaf pine seed viability through 21 months of field storage: Can carry-ov occur between seed crops?	er 1901
ERRATUM	
Malin Bendz-Hellgren and Jan Stenlid Erratum: Decreased volume growth of <i>Picea abies</i> in response to <i>Heterobasidion annosu</i> infection	ım 1905
December / Décembre	
M.A. McLean and D. Parkinson Soil impacts of the epigeic earthworm Dendrobaena octaedra on organic matter and microbial activin lodgepole pine forest	ity 1907
Martin J. Christ, Mark B. David, Patrick J. McHale, James W. McLaughlin, Myron J. Mitchell, Lindsey E. Rustad, and Ivan J. Fernandez Microclimatic control of microbial C, N, and P pools in Spodosol Oa horizons	1914
D.B. Strongman, E.S. Eveleigh, K. van Frankenhuyzen, and T. Royama The occurrence of two types of entomopathogenic bac in natural populations of the spruce budworm, <i>Choristoneura fumiferana</i>	illi 1922
Wayne A. Sinclair, Thomas H. Whitlow, and Helen M. Griffiths Heritable tolerance of ash yellows phytoplasmas in green ash	1928
Jose Negron Estimating probabilities of infestation and extent of damage by the roundheaded pine beetle in ponderosa pine in Sacramento Mountains, New Mexico	the 1936
Riitta Hänninen, Anne Toppinen, and Pertti Ruuska Testing arbitrage in newsprint imports to United Kingdom and Germany	1946
Eric Heitzman, Kurt S. Pregitzer, and Raymond O. Miller Origin and early development of northern white-cedar stands in northern Michigan	ern 1953
K. Yasue, R. Funada, K. Fukazawa, and J. Ohtani Tree-ring width and maximum density of <i>Picea glehnii</i> as indicators of clima changes in northern Hokkaido, Japan	1962
P.E. Hennon and D.J. DeMars Development of wood decay in wounded western hemlock and Sitka spruce in southeast Alaska	1971
Robert Jobidon et Lise Charette Effets, après 10 ans, du dégagement manuel simple ou répété et de la période de coupe de la végétat de compétition sur la croissance de l'épinette noire en plantation	ion 1979
Hal O. Liechty, Martin F. Jurgensen, Glenn D. Mroz, and Margaret R. Gale Pit and mound topography and its influence storage of carbon, nitrogen, and organic matter within an old-growth forest	on 1992
F. Ducci and F. Santi The distribution of clones in managed and unmanaged populations of wild cherry (Prunus avium)	1998
D.T. Price, D.H. Halliwell, M.J. Apps, W.A. Kurz, and S.R. Curry Comprehensive assessment of carbon stocks and fluxes in Boreal-Cordilleran forest management unit	n a 2005

Contents / Sommaire	C-11
Anders Jäderlund, Olle Zackrisson, Anders Dahlberg, and Marie-Charlotte Nilsson Interference of Vaccinium myrtillus on establishment, growth, and nutrition of Picea abies seedlings in a northern boreal site	2017
G. Norberg, A. Jäderlund, O. Zackrisson, T. Nordfjell, D.A. Wardle, MC. Nilsson, and A. Dolling Vegetation control by steam treatment in boreal forests: a comparison with burning and soil scarification	2026
Peter Saetre, Lotta Sturesson Saetre, PO. Brandtberg, Heléne Lundkvist, and Jan Bengtsson Ground vegetation composition and heterogeneity in pure Norway spruce and mixed Norway spruce – birch stands	2034
J.W. Hornbeck, C.W. Martin, and C. Eagar Summary of water yield experiments at Hubbard Brook Experimental Forest, New Hampshire	2043
Jean-François Ponge, Pierre Arpin, Francis Sondag, and Ferdinand Delecour Soil fauna and site assessment in beech stands of the Belgian Ardennes	2053
Suzanne Beaudry, Luc C. Duchesne, and Benoît Côté Short-term effects of three forestry practices on carabid assemblages in a jack pine forest	2065
Runsheng Vin An alternative approach to forest investment assessment	2072
Bruce R. Zutter, Glenn R. Glover, Robert J. Mitchell, and Dean H. Gjerstad Response of loblolly pine and sweetgum to intra- and inter-specific competition and influence of soil organic matter	2079
Jeffrey W. Hughes and Douglas A. Bechtel Effect of distance from forest edge on regeneration of red spruce and balsam fir in clearcuts	2088
NOTES	
Tore Ericsson Enhanced heritabilities and best linear unbiased predictors through appropriate blocking of progeny trials	2097
Marek Krywult and Andrzej Bytnerowicz Induction of nitrate reductase activity by nitric acid vapor in California black oak (Quercus kelloggii), canyon live oak (Quercus chrysolepis), and ponderosa pine (Pinus ponderosa) seedlings	2101
F.G. Peet, D.J. Morrison, and K.W. Pellow Using a hand-held electronic laser-based survey instrument for stem mapping	2104
Note of Appreciation / Note de reconnaissance	п
Author Index for Volume 27 / Index des auteurs nour le volume 27	AI-1

C-1

Contents for Volume 27 / Sommaire pour le volume 27